



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
गाज़ियाबाद शाखा कार्यालय
GHAZIABAD BRANCH OFFICE



शाखा कार्यालय : केन्द्रीय प्रयोगशाला (रसायन लैब ब्लॉक)
भूतल एवं प्रथम तल, प्लॉट नं.-20/9 साइट-IV, साहिबाबाद
औद्योगिक क्षेत्र, साहिबाबाद, गाज़ियाबाद-201010 (उ.प्र.)

Branch Office : Central Laboratory (Chemical Lab Block) Ground &
1st Floor, Plot No.20/9 Site-IV Sahibabad Industrial Area
Sahibabad, Ghaziabad-201010 (U.P.)

E-mail : gzbo@bis.gov.in
Website : www.bis.gov.in

दूरभाष :] 0120-2771092, 0120-2771090 फैक्स :] 0120-2771094
Phone :] 0120-2771092, 0120-2771090 Fax :] 0120-2771094

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय के अंतर्गत, भारत सरकार
Ministry of Consumer Affairs, Food & Public Distribution, Govt of India
GSTIN : 09AAATB0431G4Z6

Dated: 21-05-2024

Our Ref :GZBO/CM/L 8700166818

Subject: Grant of BIS Certification Marks Licence No 8700166818 as per IS
374:2019.

M/S Indotech Switchgear & Controls (Delhi) pvt Ltd
69 Rajendra Nagar Industrial Area, Mohan Nagar,
GHAZIABAD, UTTAR PRADESH (201007)

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the
Certification Marks Licence has been granted to you to use the Standard Mark in
respect of the followings:

Product:-

Electric ceiling type fans and regulators

Grade/Class/Type/Variety
Electric ceiling type fans, driven by squirrel cage induction motor (capacitor type), without Speed Regulators / Remote Control Device, for fan size-1200mm, 230V, 50HZ, INSULATION CLASS B, Model No-12001W50

1.The licence is granted on the explicit condition that you will mark entire production which conforms
to the Indian Standards.

2.The number assigned to this licence is CM/L- 8700166818 which has been made operative from 2024-
02-26 and is valid upto 2025-02-25. The licence number should invariably be referred to in your future
correspondence.

3.According to sub-regulation (1) &(3) of Paragraph 5 of scheme I of Schedule II under Bureau of
Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00
and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS(Conformity
assessment) Regulation 2018 is payable by you with effect from 2024-02-26 for the period of validity
of the licence licence in advance.

4.Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment)
Regulation 2018 is payable by you regardless of the whether you actually mark your product or not
with the Standard Mark.**Our Receipt No. AA87PC2023001757** dated 2024-02-03 for the licence fee
and the minimum marking fee for the first operative period is already *issued/enclosed/being sent
separately.

5.This advance minimum marking fee will be carried over to the next year on every renewal. The actual
marking fee calculated on the unit rate on the production marked or the minimum marking fee,
whichever is higher shall be payable by you at the time of renewal.

6.With a view to streamlining the reporting of quantity marked, calculation and collection of marking
fee on the unit rate basis, fees will be calculated on the production marked during the first nine months
of operation of the licence at the time of first renewal, and on the production marked during twelve

मुख्यालय : मानक भवन, 9 बहादुरशाह जफर मार्ग, नई दिल्ली-110002

H.O. : Manak Bhawan, 9 Bahadurshah Zafar Marg, New Delhi-110002

months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

7. The Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

8. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

9. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

10. This licence is granted for your factory situated at 69 Rajendra Nagar Industrial Area, Mohan Nagar, GHAZIABAD, UTTAR PRADESH (201007). Privileges under the licence shall not be exercised by any other firm/company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

11. It may be noted that licence is granted under option 2 which is subject to the condition that if samples drawn on by 20240221 BIS during the verification visit before grant of licence, fail to conform to the requirements for relevant Indian Standards (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month of fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

12. As per the guideline, you should cover the entire production under scope of licence with BIS Standard mark and maintain conformity to the relevant Indian Standards. You are therefore, advised to update the consignee and Month wise production details in Manak Online portal. In addition, you should display the BIS product certification licence prominently at your premises and also mention the BIS Product certification licence held by you in your commercial advertisement and ensure compliance.

Thanking You,



(Kumar Animesh)
Scientist-E/Director & Head

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल
Licence No. CM/L- 8700166818

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर
में इन्डोटेक स्विचगियर एंड कंट्रोल्स (दिल्ली) प्रिवेट लिमि
69 राजेंद्र नगर इंडस्ट्रियल एरिया, मोहन नगर,
गाज़ियाबाद, उत्तर प्रदेश (201007)

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट
मानक चिह्न का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए अनुज्ञप्ति
प्रदान करता है। इन उत्पादित किस्मों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-
समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबंध भारतीय मानक (मानकों) के अनुसार/अनुरूप
विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT,
2016 (11 of 2016) the BUREAU hereby grants to

M/S Indotech Switchgear & Controls (Delhi) pvt Ltd
69 Rajendra Nagar Industrial Area, Mohan Nagar,
GHAZIABAD, UTTAR PRADESH (201007)

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first
column of the Schedule hereto, upon or in respect of the varieties set out in the third column
of the said Schedule which is manufactured in accordance with/conforms to the related
Indian Standard(s) referred to in the second column of the said Schedule as from time to
time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली
अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे
स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This licence carries the obligations on the part of licence as condition of licence which
are given in Annexure attached herewith. The licence shall be valid for the name, factory
address and period as mentioned in the schedule and may be renewed as specified in the
scheme-1

अनुसूची

SCHEDULE

लाइसेंस सं. सीएम/एल
LICENCE NO. CM/L - 8700166818

नाम : मै इन्डोटेक स्विचगियर एंड कंट्रोल्स (दिल्ली) प्रिवेट लिमि
फैक्ट्री एड्रेस : 69 राजेंद्र नगर इंडस्ट्रियल एरिया, मोहन नगर,


गाज़ियाबाद, उत्तर प्रदेश (201007)

विधिमान्यता : छब्बीस फरवरी दो हज़ार चौबीस से पच्चीस फरवरी दो हज़ार पच्चीस

Name : M/S Indotech Switchgear & Controls (Delhi) pvt Ltd
Factory Address : 69 Rajendra Nagar Industrial Area, Mohan Nagar,

GHAZIABAD, UTTAR PRADESH (201007)

Validity : From Twenty Sixth February Two Thousand Twenty Four to Twenty Fifth February Two
Thousand Twenty Five

मानक चिह्न STANDARD MARK	भारतीय मानक INDIAN STANDARD(S)	अनुज्ञप्ति का विषय क्षेत्र SCOPE OF LICENCE	चिह्नंकन शुल्क MARKING FEE
(1)	(2)	(3)	(4)
IS 374  CM/L- 8700166818	IS 374 : 2019 विद्युत छत के प्रकार के पंखे ELECTRIC CEILING TYPE FANS	Electric ceiling type fans, driven by squirrel cage induction motor (capacitor type), without Speed Regulators / Remote Control Device, for fan size-1200mm, 230V, 50HZ, INSULATION CLASS B, Model No-1200IW50	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 52000.00 के साथ सभी इकाईयों के लिए ₹ 1.75 प्रति इकाई। इकाई: 1 PIECE ₹ 1.75 per unit for all units with a Minimum Marking Fee of ₹ 52000.00 during an operative period of one year Unit: 1 PIECE

आज 22/5/2024 को हस्ताक्षरित तथा मोहरबंद किया गया।
Signed, Sealed and Dated this

कृते भारतीय मानक ब्यूरो
for BUREAU OF INDIAN STANDARDS



(Kumar Animesh)
Scientist-E/Director & Head